# **REMARKS**

Replacement drawing sheets are submitted showing the changes suggested by the Examiner to Figs. 1 and 7.

The Specification is amended to address the informalities identified by the Examiner.

Claims 7 is amended to address the Examiner's objection and to incorporate the subject matter of claim 8, which is cancelled. Claims 10, 12, 14, 16, 18, and 20 are cancelled because the above amendment makes them redundant.

The claims are also amended to address the rejections under § 112, second paragraph. The present amendment adds no new matter to the application.

# The Rejections

Claims 8-20 stand rejected under 35 U.S.C. § 112, second paragraph, as indefinite.

Claims 7 and 8 stand rejected under 35 U.S.C. § 103(a) as unpatentable over Ohmi et al. (EP 0 622 667 A1) [hereinafter "Ohmi '667"] in view of Hishikari et al. (JP 63-138220) [hereinafter "Hishikari"].

Claims 9-18 stand rejected under 35 U.S.C. § 103(a) as unpatentable over Ohmi '667 in view of Hishikari, and further in view of Nelson (U.S. Patent 3,180,404).

Claims 19 and 20 stand rejected under 35 U.S.C. § 103(a) as unpatentable over Ohmi '667 in view of Hishikari, and further in view of Asnuma et al. (U.S. Patent 4,369,838) [hereinafter "Asnuma"].

Claims 7 and 8 have been provisionally rejected under the judicially created doctrine of obviousness-type double patenting over claims 1-12 of co-pending Application No. 09/905,209 (now U.S. Patent 6,919,056).

In view of the present amendment, Applicants respectfully traverse the present rejections and request reconsideration and allowance of the remaining claims for the following reasons.

### **Applicant's Arguments**

# Rejections Under 35 U.S.C. § 112

Regarding the rejections of claims 8-12, 19, and 20 under 35 U.S.C. § 112, Applicants believe that the present amendment fully addresses the rejections. Regarding the rejections of claims 13-18 under § 112, Applicants believe that the terms "axially symmetrical" and

Application No. 10/724,101

"centrally symmetrical" are clear from the specification. Namely, "axial symmetry" is described in the specification as "a concentric arrangement of heat dissipation fins" (p. 17, lines 26-27). "Centrally symmetrical" is described in the specification on page 13, lines 8-12 with regard to Fig. 9. For these reasons, Applicants respectfully traverse all of the rejections under § 112.

#### Rejections Under 35 U.S.C. § 103

Ohmi '667 Is Not Available as Prior Art under § 103

Applicants note that the present application and Ohmi '667 were commonly owned by, or subject to an obligation of assignment to, Fujikin, Inc. and Tadahiro Ohmi at the time the invention was made (see Assignment in present case with a recordation date of July 13, 2001, and section (71) of Ohmi '667). Therefore, in accordance with 35 U.S.C. § 103(c) and MPEP 706.02(l)(2), Applicants have provided sufficient evidence to establish that, because both the present application and Ohmi '667 were commonly owned at the time the invention was made, Ohmi '667 cannot be used as prior art against the present claims under 35 U.S.C. § 103.

Even if Ohmi '667 Were Available, No Prima Facie Obviousness Exists

Further regarding the rejection of claims 7 and 8 under 35 U.S.C. § 103(a) as unpatentable over Ohmi '667 in view of Hishikari, even if Ohmi '667 were available to combine as prior art, which it is not, there is no *prima facie* case of obviousness. As admitted by the Examiner (Office Action dated June 30, 2005, page 5, lines 9-13), Ohmi '667 does not teach a "fin base plates attached to the outside walls of the first and second components" with "a plurality of fins disposed on the fin base plates" as disclosed in claim 7 as amended. Also as admitted by the Examiner (Office Action dated June 30, 2005, page 5, lines 9-13), Ohmi '667 fails to teach "a heater, having an outside, disposed on the outside wall of the second component; and a heater pressing plate, having an outside, disposed on the outside of the heater, wherein the fin base plate is attached to the outside of the heater pressing plate" as disclosed in claim 7 as amended. Hishikari teaches an electronic cooling element (5) to cool a soaking plate (2) through a heater (4), held together with a holding member (6) having a radiation fin (7) on the back. The fin (7) in Hishikari acts to increase the cooling performance of the electronic cooling element (5) which is a Peltier device, and does not serve to cool a reactor chamber.

Application No. 10/724,101

The Examiner has not identified any motivation to combine the cited references. The combination of Ohmi '667 with Hishikari is not a "duplication of part[s]" as described by the Examiner (Office Action dated June 30, 2005, page 6, line 8), and rings of impermissible hindsight. See W.L. Gore & Assocs., Inc. v. Garlock, Inc. 220 U.S.P.Q. 303, 312 (Fed. Cir. 1983) ("claims were used as a frame, and individual, naked parts of the separate prior art references were employed as a mosaic").

Where claimed subject matter has been rejected as obvious in view of a combination of prior art references, a proper analysis under § 103 requires that (1) the prior art must suggest to those of ordinary skill in the art that they should perform the invention; and (2) the prior art must have revealed a reasonable expectation of success in performing the invention. In re Vaeck, 20 U.S.P.Q.2d 1438, 1442 (Fed. Cir. 1991). Both the suggestion and the reasonable expectation of success must be founded in the prior art, not in the applicant's disclosure. Noelle v. Lederman, 355 F.3d 1343, 1352 (Fed. Cir. 2004). The relied-upon references do not meet this burden: the references do not suggest the proposed combination and the references do not suggest that such a combination would work. In particular, one of ordinary skill in the art would not expect that the fin of Hishikari could substitute for the activateable cooling unit taught by Ohmi '667. The Examiner has cited that Ohmi '667 teaches "a cooling unit will be activated," but a fin is a passive radiator and so cannot be activated. One of ordinary skill in the art would neither (1) be inclined to substitute a fin for an activateable cooler; nor (2) expect that the device would operate properly with such a substitution.

Because the art rejections all rely on the combination of Ohmi '667 with Hishikari under 35 U.S.C. § 103, and (1) under 35 U.S.C. § 103(c) Ohmi '667 is not available as prior and (2) there is no motivation to combine these references, Applicants respectfully traverse the rejections under § 103 and request reconsideration and withdrawal of same.

#### Rejection Under Judicially-Created Doctrine of Obviousness-Type Double Patenting

Courts have held that double patenting rejections require an analysis of the claims and not the disclosure of the patents whose claims are relied upon to demonstrate double patenting. General Foods Corp. v. Studiengesellschaft Kohle mbH, 23 U.S.P.Q.2d 1839,

1846 (Fed. Cir. 1992). In the present case, the Examiner has not established a <u>prima facie</u> case of obviousness-type double patenting because the Examiner has not compared the claims of Application No. 09/905,209 (now U.S. Patent 6,919,056) to the claims of the present application. To facilitate prosecution, Applicants provide such a comparison in Table 1 below, wherein *only the most prominent differences* between the claims are pointed out. Table 1 compares claim 1 of cited Application No. 09/905,209 (now U.S. Patent 6,919,056) to the closest claim in the present application, namely claim 7.

Table 1

Appln. No. 09/905,209 (Pat. 6,919,056)	The present Application
1. A reactor for generating moisture, comprising:	7. A reactor for generating moisture,
a reactor shell with an inlet side and an	having an inlet side and an outlet side,
outlet side, said reactor shell comprising:	comprising:
a reactor structural component on the inlet	a first reactor structural component on the
side; and	inlet side of the reactor having an outside
[Note: does not recite an outside wall]	wall
a reactor structural component on the outlet	a second reactor structural component on the
side;	outlet side of the reactor having an outside
[Note: does not recite an outside wall]	wall
wherein an interior space is formed with	wherein the first and second components are
said reactor structural component on the	mated to form a reactor shell having an
inlet side and said reactor structural	interior space;
component on the outlet side disposed	[Note: does not recite joined together by
opposite each other and joined together by	welding or disposed opposite each other
welding;	
a gas feed port engaged with said reactor	a material gas supply passage provided in the
structural component on the inlet side;	first reactor structural component disposed to
	supply material gases into the interior space;
	a material gas supply joint connected to the
	material gas supply passage;
a moisture gas take-out port engaged with	a moisture gas outlet passage provided in the
said reactor structural component on the	second reactor structural component to lead
outlet side;	out moisture from the interior space;
	a moisture gas take-out joint connected to the
	moisture gas outlet passage;
NOT PRESENT	fin base plates attached to the outside walls
	of the first and second components;
NOT PRESENT	a plurality of fins disposed on the fin base
	plates;
NOT PRESENT	a heater, having an outside, disposed on the
	outside wall of the second component; and

Appln. No. 09/905,209 (Pat. 6,919,056)	The present Application
NOT PRESENT	a heater pressing plate, having an outside,
	disposed on the outside of the heater,
	wherein the fin base plate is attached to the
	outside of the heater pressing plate.
an inlet reflector disposed on the inside	NOT PRESENT
wall of said reactor structural component	
on the inlet side, positioned opposite to	
said gas feed port in the interior space of	
the reactor;	
an outlet reflector disposed on the inside	NOT PRESENT
wall of the said reactor structural	
component on the outlet side, positioned	
opposite to said moisture gas take-out port	
in the interior space of the said reactor; and	
a platinum coat catalyst layer formed on	NOT PRESENT
the inside wall of said reactor structural	
component on the outlet side;	
wherein hydrogen and oxygen are fed into	NOT PRESENT
the interior space of said reactor through	
said gas feed port and brought into contact	
with said platinum coat catalyst layer to	
activate the reactivity of the hydrogen and	
oxygen, thereby reacting hydrogen and	
oxygen into water in a non-combustion	
state; wherein	
a round recession with a flat bottom is	NOT PRESENT
formed on inside walls of said reactor	
structural component on the inlet side and	
said reactor structural component on the	
outlet side; wherein there is a tapered	
portion formed at peripheral edge portions	
of said inlet reflector facing the inside wall	
of said reactor structural component on the	
inlet side and said outlet reflector facing	
the inside wall of said reactor structural	
component on the outlet side; and wherein	
a gap is formed between said inlet reflector	
and the inside wall of said reactor structural	
component on the inlet side, and a gap is	
formed between said outlet reflector and	
the inside wall of said reactor structural	
component on the outlet side, and	
wherein there is no filter in the interior	NOT PRESENT
space.	

Application No. 10/724,101

Because there are multiple differences and mutually exclusive and missing elements between the claims of the present application and the claims of Application No. 09/905,209 (now U.S. Patent 6,919,056), no <u>prima facie</u> case of obviousness-type double patenting has been shown. <u>Id.</u> Clearly, the Examiner has not shown that the same invention has been claimed twice. Therefore, we believe that the Examiner's present obviousness-type double patenting rejection is untenable.

#### Conclusion

For all of the above reasons, claims 7, 9, 11, 13, 15, 17, and 19 are now in condition for allowance. Therefore, Applicants respectfully request reconsideration of the application and withdrawal of the rejections, and a prompt notice of allowance is earnestly solicited.

Questions are welcomed by the below signed attorney for the Applicants.

Respectfully submitted,

GRIFFIN & SZIPL, P.C.

Joerg-Uwe Sz(pl)

Registration No. 31,799

Griffin & Szipl, P.C. Suite PH-1 2300 Ninth Street, South Arlington, VA 22204 Telephone: (703) 979-5700

Facsimile: (703) 979-7429 Customer No.: 24203